

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1653HXP

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JUL 20 Powerful new interactive analysis and visualization software,
STN AnaVist, now available
NEWS 4 AUG 11 Derwent World Patents Index(R) web-based training during
August
NEWS 5 AUG 11 STN AnaVist workshops to be held in North America
NEWS 6 AUG 30 CA/Caplus -Increased access to 19th century research documents
NEWS 7 AUG 30 CASREACT - Enhanced with displayable reaction conditions
NEWS 8 SEP 09 ACD predicted properties enhanced in REGISTRY/ZREGISTRY

NEWS EXPRESS JUNE 13 CURRENT WINDOWS VERSION IS V8.0, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 13 JUNE 2005

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 16:58:30 ON 15 SEP 2005

=> file medline, biosis, wpids, embase, scisearch, dgene, biotecds
'BIOTECDS' IS NOT A VALID FILE NAME

Enter "HELP FILE NAMES" at an arrow prompt (=>) for a list of files
that are available. If you have requested multiple files, you can
specify a corrected file name or you can enter "IGNORE" to continue
accessing the remaining file names entered.

ENTER A FILE NAME OR (IGNORE):biotechds

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.21	0.21

FULL ESTIMATED COST

FILE 'MEDLINE' ENTERED AT 16:59:06 ON 15 SEP 2005

FILE 'BIOSIS' ENTERED AT 16:59:06 ON 15 SEP 2005
Copyright (c) 2005 The Thomson Corporation

FILE 'WPIDS' ENTERED AT 16:59:06 ON 15 SEP 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'EMBASE' ENTERED AT 16:59:06 ON 15 SEP 2005
COPYRIGHT (C) 2005 Elsevier Inc. All rights reserved.

FILE 'SCISEARCH' ENTERED AT 16:59:06 ON 15 SEP 2005
Copyright (c) 2005 The Thomson Corporation

FILE 'DGENE' ENTERED AT 16:59:06 ON 15 SEP 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

FILE 'BIOTECHDS' ENTERED AT 16:59:06 ON 15 SEP 2005
COPYRIGHT (C) 2005 THE THOMSON CORPORATION

=> e laurenz,j/au

E1	1	LAURENZ S/AU
E2	1	LAURENZ W/AU
E3	0 -->	LAURENZ,J/AU
E4	131	LAURENZA A/AU
E5	2	LAURENZA A D/AU
E6	1	LAURENZA A DE L/AU
E7	16	LAURENZA ANTONIO/AU
E8	5	LAURENZA D/AU
E9	9	LAURENZA F/AU
E10	3	LAURENZA I/AU
E11	1	LAURENZA INCORONATA/AU
E12	13	LAURENZA M/AU

=> e francis, p/au

E1	2	FRANCIS Z M/AU
E2	1	FRANCIS ZELIA M/AU
E3	0 -->	FRANCIS, P/AU
E4	1	FRANCISC A/AU
E5	1	FRANCISC B/AU
E6	5	FRANCISC CG/AU
E7	1	FRANCISC DE/AU
E8	1	FRANCISC E/AU
E9	1	FRANCISC ENG/AU
E10	1	FRANCISC EW/AU
E11	1	FRANCISC F/AU
E12	1	FRANCISC G/AU

=> e staunton,j/au

E1	1	STAUNTON W E/AU
E2	13	STAUNTON W P/AU
E3	0 -->	STAUNTON,J/AU
E4	1	STAUP A C/AU
E5	1	STAUP F/AU
E6	2	STAUP J R/AU
E7	1	STAUP JOHN R/AU
E8	2	STAUP M/AU
E9	1	STAUP M L/AU
E10	4	STAUP E J/AU
E11	12	STAUPENDAH G/AU
E12	1	STAUPENDAH W D/AU

=> s polykide synthase

SEARCH FILE UNAVAILABLE FOR WPIDS

L1 0 POLYKIDE SYNTHASE

=> s polylinker and (multiple restriction sites)
SEARCH FILE UNAVAILABLE FOR WPIDS
L2 53 POLYLINKER AND (MULTIPLE RESTRICTION SITES)

=> s polyketide production adj1 polylinker
SEARCH FILE UNAVAILABLE FOR WPIDS
L3 0 POLYKETIDE PRODUCTION ADJ1 POLYLINKER

=> e polyketide production and polylinker
EXPAND FILE IS TEMPORARILY UNAVAILABLE
E1 1 POLYKETIDAL/BI
E2 16150 POLYKETIDE/BI
E3 0 --> POLYKETIDE PRODUCTION AND, POLYLINKER/BI
E4 1 POLYKETIDEDERIVED/BI
E5 1 POLYKETIDEPEPTIDE/BI
E6 1 POLYKETIDEPREPARATION/BI
E7 1 POLYKETIDER/BI
E8 4938 POLYKETIDES/BI
E9 1 POLYKETIDESDAGGER/BI
E10 1 POLYKETIDESHIKIMATE/BI
E11 4 POLYKETIDESYNTHASE/BI
E12 1 POLYKETIDESYNTHASES/BI

The file that the system uses for index display in the EXPAND command is not available now. Try again in a few minutes.

=> d l2 ti abs ibib 1-10

L2 ANSWER 1 OF 53 MEDLINE on STN
TI Rescue of end fragments of yeast artificial chromosomes by homologous recombination in yeast.
AB Yeast artificial chromosomes (YACs) provide a powerful tool for the isolation and mapping of large regions of mammalian chromosomes. We developed a rapid and efficient method for the isolation of DNA fragments representing the extreme ends of YAC clones by the insertion of a rescue plasmid into the YAC vector by homologous recombination. Two rescue vectors were constructed containing a yeast LYS2 selectable gene, a bacterial origin of replication, an antibiotic resistance gene, a **polylinker** containing **multiple restriction sites**, and a fragment homologous to one arm of the pYAC4 vector. The 'end-cloning' procedure involves transformation of the rescue vector into yeast cells carrying a YAC clone, followed by preparation of yeast DNA and transformation into bacterial cells. The resulting plasmids carry end-specific DNA fragments up to 20 kb in length, which are suitable for use as hybridization probes, as templates for direct DNA sequencing, and as probes for mapping by fluorescence in situ hybridization. These vectors are suitable for the rescue of end-clones from any YAC constructed using a pYAC-derived vector. We demonstrate the utility of these plasmids by rescuing YAC-end fragments from a human YAC library.

ACCESSION NUMBER: 92020130 MEDLINE
DOCUMENT NUMBER: PubMed ID: 1923762
TITLE: Rescue of end fragments of yeast artificial chromosomes by homologous recombination in yeast.
AUTHOR: Hermanson G G; Hoekstra M F; McElligott D L; Evans G A
CORPORATE SOURCE: Molecular Genetics Laboratory, Salk Institute for Biological Studies, La Jolla, CA 92037.
SOURCE: Nucleic acids research, (1991 Sep 25) 19 (18) 4943-8.
Journal code: 0411011. ISSN: 0305-1048.
PUB. COUNTRY: ENGLAND: United Kingdom
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199111

ENTRY DATE: Entered STN: 19920124
Last Updated on STN: 19920124
Entered Medline: 19911104

L2 ANSWER 2 OF 53 MEDLINE on STN

TI MoMuLV-derived self-inactivating retroviral vectors possessing multiple cloning sites and expressing the resistance to either G418 or hygromycin B.

AB To facilitate cloning procedures in recombinant murine leukemia virus-derived retroviruses, we have constructed vectors that both carry a **polylinker** with **multiple restriction sites** and express resistance to either G418 or hygromycin B. Our vectors are self-inactivating retroviruses that suppress interferences between LTR enhancers and internal promoters and avoid transcriptional stimulation of host cell genes. They can also be used as expression vectors in direct transfection assays, since no translation initiation codon lies between the 5' LTR and the cloning **polylinker**.

ACCESSION NUMBER: 91255559 MEDLINE

DOCUMENT NUMBER: PubMed ID: 2095924

TITLE: MoMuLV-derived self-inactivating retroviral vectors possessing multiple cloning sites and expressing the resistance to either G418 or hygromycin B.

AUTHOR: Marty L; Roux P; Royer M; Piechaczyk M

CORPORATE SOURCE: Laboratoire de Biologie Molculaire, URA CNRS 1191
Genetique Molculaire, Montpellier, France.

SOURCE: Biochimie, (1990 Dec) 72 (12) 885-7.
Journal code: 1264604. ISSN: 0300-9084.

PUB. COUNTRY: France

DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)

LANGUAGE: English

FILE SEGMENT: Priority Journals

ENTRY MONTH: 199107

ENTRY DATE: Entered STN: 19910802

Last Updated on STN: 19910802

Entered Medline: 19910715

L2 ANSWER 3 OF 53 MEDLINE on STN

TI Construction of linker-scanning mutations using a kanamycin-resistance cassette with multiple symmetric restriction sites.

AB We demonstrate how a kanamycin-resistance (KmR) cassette flanked by **polylinkers** with **multiple restriction sites** can be used to introduce nucleotide (nt) sequence replacements into a region of interest. This method differs in two significant ways from traditional methods of linker mutagenesis. First, the presence of the KmR gene allows for selection of the **polylinker**, greatly facilitating formation of linker-containing molecules. Second, the **polylinker** with **multiple restriction sites** allows a given linker insertion to be combined with a second linker insertion in a variety of different ways and makes possible a range of novel nt to remain in the resulting linker replacement. The result of this flexibility is that fewer different molecules are needed to cover a region, and that relatively large replacements (greater than 40 nt) are possible. We have used this method to introduce a series of sequence replacements that span the mouse dihydrofolate reductase promoter region.

ACCESSION NUMBER: 90108703 MEDLINE

DOCUMENT NUMBER: PubMed ID: 2691333

TITLE: Construction of linker-scanning mutations using a kanamycin-resistance cassette with multiple symmetric restriction sites.

AUTHOR: Smith M L; Crouse G F

CORPORATE SOURCE: Department of Biology, Emory University, Atlanta, GA 30322.

CONTRACT NUMBER: CA40621 (NCI)

SOURCE: Gene, (1989 Dec 7) 84 (1) 159-64.

Journal code: 7706761. ISSN: 0378-1119.
PUB. COUNTRY: Netherlands
DOCUMENT TYPE: Journal; Article; (JOURNAL ARTICLE)
LANGUAGE: English
FILE SEGMENT: Priority Journals
ENTRY MONTH: 199002
ENTRY DATE: Entered STN: 19900328
Last Updated on STN: 19970203
Entered Medline: 19900213

L2 ANSWER 4 OF 53 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN
TI RESCUE OF END FRAGMENTS OF YEAST ARTIFICIAL CHROMOSOMES BY HOMOLOGOUS
RECOMBINATION IN YEAST.

AB Yeast artificial chromosomes (YACs) provide a powerful tool for the isolation and mapping of large regions of mammalian chromosomes. We developed a rapid and efficient method for the isolation of DNA fragments representing the extreme ends of YAC clones by the insertion of a rescue plasmid into the YAC vector by homologous recombination. Two rescue vectors were constructed containing a yeast LYS2 selectable gene, a bacterial origin of replication, an antibiotic resistance gene, a **polylinker** containing **multiple restriction sites**, and a fragment homologous to one arm of the pYAC4 vector. The 'end-cloning' procedure involves transformation of the rescue vector into yeast cells carrying a YAC clone, followed by preparation of yeast DNA and transformation into bacterial cells. The resulting plasmids carry end-specific DNA fragments up to 20 kb in length, which are suitable for use as hybridization probes, as templates for direct DNA sequencing, and as probes for mapping by fluorescence in situ hybridization. These vectors are suitable for the rescue of end-clones from any YAC constructed using a pYAC-derived vector. We demonstrate the utility of these plasmids by rescuing YAC-end fragments from a human YAC library.

ACCESSION NUMBER: 1991:524435 BIOSIS
DOCUMENT NUMBER: PREV199192135895; BA92:135895
TITLE: RESCUE OF END FRAGMENTS OF YEAST ARTIFICIAL CHROMOSOMES BY
HOMOLOGOUS RECOMBINATION IN YEAST.
AUTHOR(S): HERMANSON G G [Reprint author]; HOEKSTRA M F; MCELLIGOTT D
L; EVANS G A
CORPORATE SOURCE: MOL GENETICS LAB, SALK INST, PO BOX 85800, SAN DIEGO, CALIF
92138, USA
SOURCE: Nucleic Acids Research, (1991) Vol. 19, No. 18, pp.
4943-4948.
CODEN: NARHAD. ISSN: 0305-1048.
DOCUMENT TYPE: Article
FILE SEGMENT: BA
LANGUAGE: ENGLISH
ENTRY DATE: Entered STN: 19 Nov 1991
Last Updated on STN: 19 Nov 1991

L2 ANSWER 5 OF 53 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN
TI MOMULV-DERIVED SELF-INACTIVATING RETROVIRAL VECTORS POSSESSING MULTIPLE
CLONING SITES AND EXPRESSING THE RESISTANCE TO EITHER G418 OR HYGROMYCIN
B.

AB To facilitate cloning procedures in recombinant murine leukemia virus-derived retroviruses, we have constructed vectors that both carry a **polylinker** with **multiple restriction sites** and express resistance to either G418 or hygromycin B. Our vectors are self-inactivating retroviruses that suppress interferences between LTR enhancers and internal promoters and avoid transcriptional stimulation of host cell genes. They can also be used as expression vectors in direct transfection assays, since no translation initiation codon lies between the 5' LTR and the cloning **polylinker**.

ACCESSION NUMBER: 1991:203428 BIOSIS
DOCUMENT NUMBER: PREV199191106653; BA91:106653

TITLE: MOMULV-DERIVED SELF-INACTIVATING RETROVIRAL VECTORS
POSSESSING MULTIPLE CLONING SITES AND EXPRESSING THE
RESISTANCE TO EITHER G418 OR HYGROMYCIN B.

AUTHOR(S): MARTY L [Reprint author]; POUX P; ROYER M; PIECHACZYK M

CORPORATE SOURCE: LAB BIOLOGIE MOLECULAIRE, URA CNRS 1191, GENETIQUE
MOLECULAIRE, USTL PLACE E BATAILLON 34095, MONTPELLIER,
CEDEX 05

SOURCE: Biochimie (Paris), (1990) Vol. 72, No. 12, pp. 885-888.
CODEN: BICMBE. ISSN: 0300-9084.

DOCUMENT TYPE: Article

FILE SEGMENT: BA

LANGUAGE: ENGLISH

ENTRY DATE: Entered STN: 2 May 1991
Last Updated on STN: 3 May 1991

L2 ANSWER 6 OF 53 BIOSIS COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI CONSTRUCTION OF LINKER-SCANNING MUTATIONS USING A KANAMYCIN-RESISTANCE
CASSETTE WITH MULTIPLE SYMMETRIC RESTRICTION SITES.

AB We demonstrate how a kanamycin-resistance (KmR) cassette flanked by
polylinkers with **multiple restriction sites**
can be used to introduce nucleotide (nt) sequence replacements into a
region of interest. This method differs in two significant ways from
traditional methods of linker mutagenesis. First, the presence of the KmR
gene allows for selection of the **polylinker**, greatly
facilitating formation of linker-containing molecules. Second, the
**polylinker with multiple restriction
sites** allows a given linker insertion to be combined with a second
linker insertion in a variety of different ways and makes possible a range
of novel nt to remain in the resulting linker replacement. The result of
this flexibility is that fewer different molecules are needed to cover a
region, and that relatively large replacements (>40 nt) are possible. We
have used this method to introduce a series of sequence replacements that
span the mouse dihydrofolate reductase promoter region.

ACCESSION NUMBER: 1990:131733 BIOSIS

DOCUMENT NUMBER: PREV199089070544; BA89:70544

TITLE: CONSTRUCTION OF LINKER-SCANNING MUTATIONS USING A
KANAMYCIN-RESISTANCE CASSETTE WITH MULTIPLE SYMMETRIC
RESTRICTION SITES.

AUTHOR(S): SMITH M L [Reprint author]; CROUSE G F

CORPORATE SOURCE: DEP BIOL, 1555 PIERCE DR, EMORY UNIV, ATLANTA, GA 30322,
USA

SOURCE: Gene (Amsterdam), (1989) Vol. 84, No. 1, pp. 159-164.
CODEN: GENED6. ISSN: 0378-1119.

DOCUMENT TYPE: Article

FILE SEGMENT: BA

LANGUAGE: ENGLISH

ENTRY DATE: Entered STN: 13 Mar 1990
Last Updated on STN: 13 Mar 1990

L2 ANSWER 7 OF 53 EMBASE COPYRIGHT 2005 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN

TI Rescue of end fragments of yeast artificial chromosomes by homologous
recombination in yeast.

AB Yeast artificial chromosomes (YACs) provide a powerful tool for the
isolation and mapping of large regions of mammalian chromosomes. We
developed a rapid and efficient method for the isolation of DNA fragments
representing the extreme ends of YAC clones by the insertion of a rescue
plasmid into the YAC vector by homologous recombination. Two rescue
vectors were constructed containing a yeast LYS2 selectable gene, a
bacterial origin of replication, an antibiotic resistance gene, a
**polylinker containing multiple restriction
sites**, and a fragment homologous to one arm of the pYAC4 vector.
The 'end-cloning' procedure involves transformation of the rescue vector

into yeast cells carrying a YAC clone, followed by preparation of yeast DNA and transformation into bacterial cells. The resulting plasmids carry end-specific DNA fragments up to 20kb in length, which are suitable for use as hybridization probes, as templates for direct DNA sequencing, and as probes for mapping by fluorescence in situ hybridization. These vectors are suitable for the rescue of end-clones from any YAC constructed using a pYAC-derived vector. We demonstrate the utility of these plasmids by rescuing YAC-end fragments from a human YAC library.

ACCESSION NUMBER: 91286468 EMBASE
DOCUMENT NUMBER: 1991286468
TITLE: Rescue of end fragments of yeast artificial chromosomes by homologous recombination in yeast.
AUTHOR: Hermanson G.G.; Hoekstra M.F.; McElligott D.L.; Evans G.A.
CORPORATE SOURCE: Molecular Genetics Laboratory, The Salk Institute, PO Box 85800, San Diego, CA 92138, United States
SOURCE: Nucleic Acids Research, (1991) Vol. 19, No. 18, pp. 4943-4948.
ISSN: 0305-1048 CODEN: NARHAD
COUNTRY: United Kingdom
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 004 Microbiology
022 Human Genetics
029 Clinical Biochemistry
LANGUAGE: English
SUMMARY LANGUAGE: English
ENTRY DATE: Entered STN: 911216
Last Updated on STN: 911216

L2 ANSWER 8 OF 53 EMBASE COPYRIGHT 2005 ELSEVIER INC. ALL RIGHTS RESERVED.
on STN

TI MoMuLV-derived self-inactivating retroviral vectors possessing multiple cloning sites and expressing the resistance to either G418 or hygromycin B.

AB To facilitate cloning procedures in recombinant murine leukemia virus-derived retroviruses, we have constructed vectors that both carry a **polylinker** with **multiple restriction sites** and express resistance to either G418 or hygromycin B. Our vectors are self-inactivating retroviruses that suppress interferences between LTR enhancers and internal promoters and avoid transcriptional stimulation of host cell genes. They can also be used as expression vectors in direct transfection assay, since no translation initiation codon lies between the 5' LTR and the cloning **polylinker**.

ACCESSION NUMBER: 91046447 EMBASE
DOCUMENT NUMBER: 1991046447
TITLE: MoMuLV-derived self-inactivating retroviral vectors possessing multiple cloning sites and expressing the resistance to either G418 or hygromycin B.
AUTHOR: Marty L.; Roux P.; Royer M.; Piechaczyk M.
CORPORATE SOURCE: Laboratoire de Biologie Moleculaire, URA CNRS 1191 'Genetique Moleculaire', USTL, Place E Bataillon, 34095, Montpellier Cedex 05, France
SOURCE: Biochimie, (1990) Vol. 72, No. 12, pp. 885-887.
ISSN: 0300-9084 CODEN: BICMBE
COUNTRY: France
DOCUMENT TYPE: Journal; Article
FILE SEGMENT: 047 Virology
037 Drug Literature Index
LANGUAGE: English
SUMMARY LANGUAGE: English
ENTRY DATE: Entered STN: 911216
Last Updated on STN: 911216

L2 ANSWER 9 OF 53 EMBASE COPYRIGHT 2005 ELSEVIER INC. ALL RIGHTS RESERVED.

on STN

TI Construction of linker-scanning mutations using a kanamycin-resistance cassette with multiple symmetric restriction sites.

AB We demonstrate how a kanamycin-resistance (Km(R)) cassette flanked by polylinkers with **multiple restriction sites** can be used to introduce nucleotide (nt) sequence replacements into a region of interest. This method differs in two significant ways from traditional methods of linker mutagenesis. First, the presence of the Km(R) gene allows for selection of the **polylinker**, greatly facilitating formation of linker-containing molecules. Second, the **polylinker** with **multiple restriction sites** allows a given linker insertion to be combined with a second linker insertion in a variety of different ways and makes possible a range of novel nt to remain in the resulting linker replacement. The result of this flexibility is that fewer different molecules are needed to cover a region, and at relatively large replacements (> 40 nt) are possible. We have used this method to introduce a series of sequence replacements that span the mouse dihydrofolate reductase promoter region.

ACCESSION NUMBER: 90028815 EMBASE

DOCUMENT NUMBER: 1990028815

TITLE: Construction of linker-scanning mutations using a kanamycin-resistance cassette with multiple symmetric restriction sites.

AUTHOR: Smith M.L.; Crouse G.F.

CORPORATE SOURCE: Department of Biology, Emory University, 1555 Pierce Drive, Atlanta, GA 30322, United States

SOURCE: Gene, (1989) Vol. 84, No. 1, pp. 159-164.
ISSN: 0378-1119 CODEN: GENED6

COUNTRY: Netherlands

DOCUMENT TYPE: Journal; Article

FILE SEGMENT: 022 Human Genetics

LANGUAGE: English

SUMMARY LANGUAGE: English

ENTRY DATE: Entered STN: 911213
Last Updated on STN: 911213

L2 ANSWER 10 OF 53 SCISEARCH COPYRIGHT (c) 2005 The Thomson Corporation on STN

TI RESCUE OF END FRAGMENTS OF YEAST ARTIFICIAL CHROMOSOMES BY HOMOLOGOUS RECOMBINATION IN YEAST

AB Yeast artificial chromosomes (YACs) provide a powerful tool for the isolation and mapping of large regions of mammalian chromosomes. We developed a rapid and efficient method for the isolation of DNA fragments representing the extreme ends of YAC clones by the insertion of a rescue plasmid into the YAC vector by homologous recombination. Two rescue vectors were constructed containing a yeast LYS2 selectable gene, a bacterial origin of replication, an antibiotic resistance gene, a **polylinker** containing **multiple restriction sites**, and a fragment homologous to one arm of the pYAC4 vector. The 'end-cloning' procedure involves transformation of the rescue vector into yeast cells carrying a YAC clone, followed by preparation of yeast DNA and transformation into bacterial cells. The resulting plasmids carry end-specific DNA fragments up to 20 kb in length, which are suitable for use as hybridization probes, as templates for direct DNA sequencing, and as probes for mapping by fluorescence in situ hybridization. These vectors are suitable for the rescue of end-clones from any YAC constructed using a pYAC-derived vector. We demonstrate the utility of these plasmids by rescuing YAC-end fragments from a human YAC library.

ACCESSION NUMBER: 1991:551667 SCISEARCH

THE GENUINE ARTICLE: GH660

TITLE: RESCUE OF END FRAGMENTS OF YEAST ARTIFICIAL CHROMOSOMES BY HOMOLOGOUS RECOMBINATION IN YEAST

AUTHOR: HERMANSON G G (Reprint); HOEKSTRA M F; MCELLIGOTT D L;

CORPORATE SOURCE: EVANS G A
SALK INST BIOL STUDIES, MOLEC GENET LAB, POB 85800, LA
JOLLA, CA 92037; SALK INST BIOL STUDIES, MOLEC BIOL &
VIROL LAB, LA JOLLA, CA 92037
COUNTRY OF AUTHOR: USA
SOURCE: NUCLEIC ACIDS RESEARCH, (25 SEP 1991) Vol. 19, No. 18, pp.
4943-4948.
ISSN: 0305-1048.
PUBLISHER: OXFORD UNIV PRESS, GREAT CLARENDON ST, OXFORD OX2 6DP,
ENGLAND.
DOCUMENT TYPE: Article; Journal
LANGUAGE: English
REFERENCE COUNT: 28
ENTRY DATE: Entered STN: 1994
Last Updated on STN: 1994
ABSTRACT IS AVAILABLE IN THE ALL AND IALL FORMATS